



POULTRY FENCING INSTALLATION With Extra Security




THINGS YOU'LL NEED

- [Poultry fencing](#)
- [Tensioning wire](#) (optional)
- [Radisseur](#) (optional)
- Pliers
- Hammer
- Wire cutters
- Wooden posts
- [Staples](#)
- [Cable ties](#)
- [Pegs](#)
- Spade
- Cement (optional)


INSTRUCTIONS**Step 1: Mark the Post Location**

Mark the post location with a distance of 2-2.5m from each other.

**Step 2: Dig Holes**


Dig a hole to place your post into. The depth of the hole should be around a 3rd of the post.

Use a spirit level to ensure the posts are straight.

**Step 3: Cement Posts In (Optional)**


Pour concrete into the holes, then place your posts into the concrete.

Use a spirit level to ensure the posts are straight.




Step 4: Dig a Trench

Dig a trench for the netting along your fence line, at a depth of 30cm.



Step 5: Install Tensioning Wire (Optional)


For a sturdy and more secure fencing, use tensioning wire in a few rows (at the top and bottom as a minimum, but there can be as many lines as you like). Instructions for tensioning a fence can be found [here](#).



Step 6: Secure Mesh to End Post

Take enough netting to cover the distance between the first two posts.

Secure the mesh with staples or cable ties at every 15cm, leaving an extra 15cm at the bottom, pointing outward.



Step 7: Bend the Mesh


Bend the bottom of the mesh at a 90-degree angle, creating a 15cm lip.

This flap will cover the bottom of the trench on the outside of your fence.




Step 8: Attach Mesh to Posts

Attach the rest of the mesh by repeating steps 6-7.



Step 9: Secure to Tension Wire (Optional)


If you used tensioning wire, tie it to the fencing in multiple places to help keep the fence taut.



Step 10: Secure the Flap

Using pegs, secure the flap to the ground.

Staple right at the 90-degree angle and also at the outside edge of the lip. Do this every 60cm.



Step 11: Cover the Trench

Cover the outside flap with 5cm of soil or mulch to hide it.

Optional: Pour a layer of concrete in the trench for additional security against digging.